



| RESISTANCE TO DAMAGE, PESTS AND DISEASES | LC | W | | | | | | - | HI |
|---|----|---|---|---|---|---|---|----------|----|
| Potato cyst nematode (Globodera pallida Pa 2/3,1) | | | 3 | | | | | | |
| Late blight on foliage (Phytophthora infestans) | | | | 4 | | | | | |
| Late blight on tubers (Phytophthora infestans) | | | | | 5 | | | | |
| Blackleg (Pectobacterium atrosepticum) | | | | | | | | | 9 |
| Potato leafroll virus | | | | 4 | | | | | |
| Potato virus Yo | | | | | | | | 8 | |
| Common scab (Streptomyces scabiel) | | | | | | 6 | | | |
| Powdery scab (Spongospora subterranea) | | | | | | 6 | | | |
| Dry rot (Fusarium coeruleum) | | | | | | 6 | | | |
| Dry rot (Fusarium sulphureum) | | | | | | 6 | | | |
| Internal damage (bruising) | | | | | | | 7 | | |
| External damage (and splitting) | | | | | | | 7 | | |

| FIELD AND STORE QUALITIES | LOW → HIGH |
|---------------------------|------------|
| Drought resistance | 7 |
| Heat tolerance | 6 |
| Storability | 7 |
| Storability | 7 |